

**TECHNOLOGY PLASMA 41 230V**



**Overview**

**TECHNOLOGY PLASMA 41 230V**

cod. 815493

Inverter, compressed air plasma cutting system, with contact striking of pilot arc. Allows a rapid, distortion-proof cutting of all conductive materials such as steel, stainless steel, galvanised steel, aluminium, copper, brass, etc. Characteristics: reduced weight and dimensions

\* warning led for torch under voltage, protections \* torch automatic cooling \* visualization of air pressure \* thermostatic, overvoltage, undervoltage, overcurrent protections. Complete with torch.



1 PH 230V



INVERTER



CONTACT STRIKING



FAN COOLED



CE MARKING



EAC CERTIFICATION

**Technical data**



CODE 815493



MAINS VOLTAGE 230 - 1 ph V50/60Hz



CURRENT RANGE 7 - 40 A



MAX CURRENT 35 - 30 % A EN60974-1



MAX NO LOAD VOLTAGE IN AC 405 V



MAX CURRENT IN DC 26,5 A



MAX ABSORBED POWER 4 kW



EFFICIENCY 85 n%



POWER FACTOR 0,7 cosφ



MAX CUTTING THICKNESS 12 mm



COMPRESSED AIR CAPACITY 100 L/min



COMPRESSED AIR PRESSURE 4÷5 bar



PROTECTION DEGREE IP23



DIMENSIONS 54- 15- 27 cm(L,W,H)



WEIGHT 7,6 kg



EAN CODE 800489771456 1



PIECES/PALLET 30 pz/pallet